

G. Prod.	SAP Code	Model	Type	Description	MSRP [PLN]	MSRP [Euro]
AHD Cameras 2MP						
WiseNet HD+	SCD-6023RP/EX	SCD-6023R	Dome	Full HD (1,920 x 1,080 30fps), 0.25Lux@F2.1 (Color), 0Lux@F2.1(B/W : IR LED on), Built-in 4mm fixed lens, Day & Night (ICR), DWDR, SSSNRIV, Motion detection, IR viewable length 20m, Transmission distance 500m, Easy installation (Plug & play)	562	132,26
WiseNet HD+	SCD-6083RP/EX	SCD-6083R	Dome	Full HD (1,920 x 1,080 30fps), 0.11Lux@F1.4 (Color), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, Day & Night (ICR), DWDR, SSSNRIV, Motion detection, IR viewable length 20m, Dual power, Transmission distance 500m, Easy installation (Plug & play)	747	175,81
WiseNet HD+	SCV-6023RP/EX	SCV-6023R	Vandal Dome	Full HD (1,920 x 1,080 30fps), 0.25Lux@F2.1 (Color), 0Lux@F2.1(B/W : IR LED on), Built-in 4mm fixed lens, Day & Night (ICR), DWDR, SSSNRIV, Motion detection, IR viewable length 20m, IP66, IK10, Transmission distance 500m, Easy installation (Plug & play)	638	150,00
WiseNet HD+	SCV-6083RP/EX	SCV-6083R	Vandal Dome	Full HD (1,920 x 1,080 30fps), 0.11Lux@F1.4 (Color), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, Day & Night (ICR), DWDR, SSSNRIV, Motion detection, IR viewable length 30m, IP66, IK10, Dual power, Transmission distance 500m, Easy installation (Plug & play)	809	190,32
WiseNet HD+	SCB-6003P/EX	SCB-6003	Box	Full HD (1,920 x 1,080 30fps), 0.04Lux@F1.2 (Color), 0.004Lux@F1.2 (B/W), Day & Night (ICR), DWDR, SSSNRIV, Motion detection, Transmission distance 500m, Easy installation (Plug & play), Dual power, RS-485	514	120,97
WiseNet HD+	SCO-6023RP/EX	SCO-6023R	Bullet	Full HD (1,920 x 1,080 30fps), 0.25Lux@F2.1 (Color), 0Lux@F2.1(B/W : IR LED on), Built-in 4mm fixed lens, Day & Night (ICR), DWDR, SSSNRIV, Motion detection, IR viewable length 20m, IP66, Transmission distance 500m, Easy installation (Plug & play)	548	129,03
WiseNet HD+	SCO-6083RP/EX	SCO-6083R	Bullet	Full HD (1,920 x 1,080 30fps), 0.11Lux@F1.4 (Color), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, Day & Night (ICR), DWDR, SSSNRIV, Motion detection, IR viewable length 30m, IP66, IK10, Dual power, Transmission distance 500m, Easy installation (Plug & play)	809	190,32
AHD Digital Video Recorders						
WiseNet HD+	SRD-494P/CU	SRD-494D	DVR	4CH 1080p real-time DVR, Up to 120(NTSC) / 100(PAL) fps recording rate, HDMI / VGA video output, 4CH audio inputs / 1CH audio output, 2 internal HDDs, PTZ control via coaxial cable (Samsung CCVC, Pelco-C), Smart phone support (Android / iOS), Enhanced network bandwidth up to 64Mbps	1 056	248,39
WiseNet HD+	SRD-494P1T/CU	SRD-494D 1TB	DVR	4CH 1080p real-time DVR, Up to 120(NTSC) / 100(PAL) fps recording rate, HDMI / VGA video output, 4CH audio inputs / 1CH audio output, 2 internal HDDs, PTZ control via coaxial cable (Samsung CCVC, Pelco-C), Smart phone support (Android / iOS), Enhanced network bandwidth up to 64Mbps	1 700	400,00
WiseNet HD+	SRD-894P/CU	SRD-894D	DVR	8CH 1080p real-time DVR, Up to 240(NTSC) / 200(PAL) fps recording rate, HDMI / VGA video output, 8CH audio inputs / 1CH audio output, 4 internal HDDs, PTZ control via coaxial cable (Samsung CCVC, Pelco-C), Smart phone support (Android / iOS), Enhanced network bandwidth up to 64Mbps	2 324	546,77
WiseNet HD+	SRD-894P1T/CU	SRD-894D 1TB	DVR	8CH 1080p real-time DVR, Up to 240(NTSC) / 200(PAL) fps recording rate, HDMI / VGA video output, 8CH audio inputs / 1CH audio output, 4 internal HDDs, PTZ control via coaxial cable (Samsung CCVC, Pelco-C), Smart phone support (Android / iOS), Enhanced network bandwidth up to 64Mbps	3 050	717,74
WiseNet HD+	SRD-1694P/CU	SRD-1694D	DVR	16CH 1080p real-time DVR, Up to 480(NTSC) / 400(PAL) fps recording rate, HDMI / VGA video output, 16CH audio inputs / 1CH audio output, 8 internal HDDs PTZ control via coaxial cable (Samsung CCVC, Pelco-C), Smart phone support (Android / iOS), Enhanced network bandwidth up to 64Mbps	3 009	708,06
WiseNet HD+	SRD-1694P1T/CU	SRD-1694D 1TB	DVR	16CH 1080p real-time DVR, Up to 480(NTSC) / 400(PAL) fps recording rate, HDMI / VGA video output, 16CH audio inputs / 1CH audio output, 8 internal HDDs PTZ control via coaxial cable (Samsung CCVC, Pelco-C), Smart phone support (Android / iOS), Enhanced network bandwidth up to 64Mbps	3 811	896,77
WiseNet Lite Network IP Cameras 1.3MP						
WiseNet Lite	SND-L5013P/EX	SND-L5013P	Dome	1.3MP (1280 x 1024), 0.085Lux@F1.8 (Color), 0.085Lux@F1.8 (B/W), 3.6mm fixed lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	706	166,13
WiseNet Lite	SND-L5083RP/EX	SND-L5083RP	Dome	1.3MP (1280 x 1024), 0.04Lux@F1.4 (Color), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 15m, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	1 392	327,42
WiseNet Lite	SNV-L5083RP/EX	SNV-L5083RP	Vandal Dome	1.3MP (1280 x 1024), 0.04Lux@F1.4 (Colour), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 20m, IP66, IK10, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	1 542	362,90
WiseNet Lite	SNO-L5083RP/EX	SNO-L5083RP	Bullet	1.3MP (1280 x 1024), 0.04Lux@F1.4 (Colour), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 20m, IP66, IK10, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	1 426	335,48
WiseNet Lite Network IP Cameras 2MP						
WiseNet Lite	SND-L6012P/EX	SND-L6012P	Dome	2MP (1920 x 1080), 0.15Lux@F1.8 (Color), 0.15Lux@F1.8 (B/W), 2.8mm fixed lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	775	182,26
WiseNet Lite	SND-L6013P/EX	SND-L6013P	Dome	2MP (1920 x 1080), 0.15Lux@F1.8 (Color), 0.15Lux@F1.8 (B/W), 3.6mm fixed lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	768	180,65
WiseNet Lite	SND-L6013RP/EX	SND-L6013RP	Dome	2MP (1920 x 1080), 0.15Lux@F1.8 (Colour), 0Lux@F1.8 (B/W : IR LED on), 3.6mm fixed lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 15m, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	898	211,29
WiseNet Lite	SND-L6083RP/EX	SND-L6083RP	Dome	2MP (1920 x 1080), 0.095Lux@F1.4 (Colour), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 15m, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	1 522	358,06
WiseNet Lite	SNV-L6013RP/EX	SNV-L6013RP	Vandal Dome	2MP (1920 x 1080), 0.15Lux@F1.8 (Color), 0Lux@F1.8 (B/W : IR LED on), Built-in 3.6mm fixed lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, micro SD/SDHC memory slot, PoE, IR viewable 15m, IP66, IK10, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	1 227	288,71
WiseNet Lite	SNV-L6014RMP/EX	SNV-L6014RMP	Vandal Dome	2MP (1920 x 1080), 0.15Lux@F1.8 (Color), 0Lux@F1.8 (B/W : IR LED on), Built-in 3.6mm fixed lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, micro SD/SDHC memory slot, PoE, IR viewable 15m, IP66, IK10, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction), M12 connector support, Audio in/out, Built-in mic	1 851	435,48
WiseNet Lite	SNV-L6083RP/EX	SNV-L6083RP	Vandal Dome	2MP (1920 x 1080), 0.095Lux@F1.4 (Colour), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 20m, IP66, IK10, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	1 618	380,65
WiseNet Lite	SNO-L6013RP/EX	SNO-L6013RP	Bullet	2MP (1920 x 1080), 0.15Lux@F1.8 (Colour), 0Lux@F1.8 (B/W : IR LED on), 3.6mm fixed lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 20m, IP66, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	850	200,00
WiseNet Lite	SNO-L6083RP/EX	SNO-L6083RP	Bullet	2MP (1920 x 1080), 0.095Lux@F1.4 (Colour), 0Lux@F1.4 (B/W : IR LED on), 2.8 ~ 12mm (4.3x) varifocal lens, 30fps@all resolutions (H.264), H.264, MJPEG dual codec, Multiple streaming, Motion detection, Tampering, DWDR, micro SD/SDHC memory slot, PoE, IR viewable length 20m, IP66, IK10, Hallway view support (Rotate 90°/270°), LDC support (Lens Distortion Correction)	1 700	400,00
WiseNet Lite Network IP PTZ Cameras 1.3MP						
WiseNet Lite	SNP-L5233P/EX	SNP-L5233P	PTZ	1.3MP (1280 x 1024), 0.05Lux@F1.6 (Color), 0.005Lux@F1.6 (B/W), 4.44 ~ 102.1mm (23x) optical zoom, 12x digital zoom, H.264, MJPEG dual codec, Multiple streaming, Day & Night (ICR), WDR (100dB), Intelligent video analytics, PoE+, SD/SDHC/SDXC memory slot, Bi-directional audio support, IK10 (SNP-L5233 + SHP-3701H)	3 900	917,74

WiseNet Q	QNO-7030RP/EX	QNO-7030RP	Bullet	4MP (2688 x 1520), Color : 0.3Lux, B/W : 0Lux (IR LED on), Built-in 6 mm fixed lens, Max. 20fps@4M, Max. 30fps@under 2M (H.265/H.264), H.265, H.264, MJPEG codec supported, Multiple streaming, Motion detection, Tampering, Defocus detection, WDR (120dB), micro SD (128GB) memory slot, PoE / 12V DC, IR viewable length 30m, IP66, IK10, Hallway view, WiseStream support, LDC support (Lens Distortion Correction), Uni-directional audio	1 254	295,16
WiseNet Q	QNO-7080RP/EX	QNO-7080RP	Bullet	4MP (2688 x 1520), Color : 0.15Lux (30IRE), B/W : 0Lux (IR LED on), 2.8 ~ 12mm (4.3x) motorized varifocal lens, Max. 20fps@4M, Max. 30fps@under 2M (H.265/H.264), H.265, H.264, MJPEG codec supported, Multiple streaming, Motion detection, Tampering, Defocus detection, WDR (120dB), micro SD (128GB) memory slot, PoE / 12V DC, IR viewable length 30m, IP66, IK10, Hallway view, WiseStream support, LDC support (Lens Distortion Correction), Uni-	2 317	545,16
WiseNet III Network IP Cameras 1.3MP						
WiseNet III	SND-5083P/EX	SND-5083P	Dome	1.3MP (1280 x 1024), 0.008Lux@F1.2 (Colour), 0.002Lux@F1.2 (B/W), 2.8 ~ 10mm (3.6x) varifocal lens, Day & Night (ICR), WDR (130dB), Defog, SD/SDHC/SDXC memory slot, PoE, Bi-directional audio support	1 862	438,23
WiseNet III	SND-5084P/EX	SND-5084P	Dome	1.3MP (1280 x 1024), 0.008Lux@F1.2 (Colour), 0.002Lux@F1.2 (B/W), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (130dB) Simple focus, P-iris, DIS, Defog, Multi-crop streaming, micro SD/SDHC/SDXC memory slot, PoE, IK8 , Bi-directional audio support	2 078	488,97
WiseNet III	SND-5084RP/EX	SND-5084RP	Dome	1.3MP (1280 x 1024), 0.005Lux@F1.2 (Colour), 0Lux (B/W) (IR Led on), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (130dB), Simple focus, P-iris, DIS, Defog, Multi-crop streaming, micro SD/SDHC/SDXC memory slot, PoE, IR LED (12), PoE, Bi-directional audio support	2 353	553,55
WiseNet III	SNV-5084P/EX	SNV-5084P	Vandal Dome	1.3MP (1280 x 1024), 0.008Lux@F1.2 (Colour), 0.002Lux@F1.2 (B/W), 3 mm ~ 8.5 mm(2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (130dB), Simple focus (Motorized V/F), P-Iris, DIS, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, IP66, IK10, Bi-directional audio support	2 715	638,89
WiseNet III	SNV-5084RP/EX	SNV-5084RP	Vandal Dome	1.3MP (1280 x 1024), 0.005Lux@F1.2 (Colour), 0Lux (B/W) (IR LED on), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (130dB), Simple focus, P-Iris, DIS, Defog, Multi-crop streaming, micro SD/SDHC/SDXC memory slot, POE, IR LED (12), IP66, IK10, Bi-directional audio support	2 480	583,53
WiseNet III	SNB-5003P/EX	SNB-5003P	Box	1.3MP (1280 x 1024), 0.05Lux@F1.2 (Colour), 0.05Lux@F1.2 (B/W), 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (130dB), DIS, Defog, P-Iris, Simple focus, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, Bi-directional audio support	1 294	304,45
WiseNet III	SNB-5004P/EX	SNB-5004P	Box	1.3MP (1280 x 1024), 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (130dB), Simple focus, P-Iris, DIS, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, Bi-directional audio support	1 578	371,34
WiseNet III	SNO-5084RP/EX	SNO-5084RP	Bullet	1.3MP (1280 x 1024) resolution, 0.005Lux@F1.2 (Colour), 0Lux (B/W) (IR LED on), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (130dB), Simple focus, P-Iris, DIS, Defog, Multi-crop streaming, micro SD/SDHC/SDXC memory slot (4GB included), IR LED (20), IP66, IK10, Bi-directional audio support	2 853	671,18
WiseNet III Network IP Cameras 2MP						
WiseNet III	SND-6011RP/EX	SND-6011RP	Dome	2MP (1920 x 1080), 0.08Lux@F2.0 (Colour), 0Lux (B/W) (IR LED on), 3.8mm fixed lens, 30fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (120dB), DIS, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, IR LED (LED 10)	1 294	304,45
WiseNet III	SND-6083P/EX	SND-6083P	Dome	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0.03Lux@F1.2 (B/W), 3 ~ 8.5mm (2.8x) varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Defog, Multi-crop streaming, micro SD/SDHC/SDXC memory slot, PoE, UPnP, Bi-directional audio support,	2 519	592,76
WiseNet III	SND-6084P/EX	SND-6084P	Dome	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0.002Lux@F1.2 (B/W), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus (Motorized V/F), P-Iris, Defog, Multi-crop streaming, micro SD/SDHC/SDXC memory slot, PoE, UPnP, Bi-directional audio support	2 693	633,63
WiseNet III	SND-6084RP/EX	SND-6084RP	Dome	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0Lux@F1.2 (B/W : IR LED on), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus (Motorized V/F), P-Iris, Defog, Multi-crop streaming, PoE, UPnP, micro SD/SDHC/SDXC memory slot, Bi-directional audio support, IR LED (12)	2 887	679,35
WiseNet III	SNV-6012MP/EX	SNV-6012MP	Vandal Dome	2MP (1920 x 1080), 0.15Lux@F1.8 (Colour), 0.15Lux@F1.8 (B/W), Built-in 3MPm fixed lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Enhanced DIS, Defog, micro SD/SDHC/SDXC memory slot, PoE, IP66, IK10, M12 connector, EN50155, EN50121	1 852	435,78
WiseNet III	SNV-6013P/EX	SNV-6013P	Vandal Dome	2MP (1920 x 1080), 0.15Lux@F1.8 (Colour), 0.15Lux@F1.8 (B/W), Built-in 2.8 fixed lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), DIS, Defog, micro SD/SDHC/SDXC memory slot, PoE, IP66, IK10	1 902	447,45
WiseNet III	SNV-6084P/EX	SNV-6084P	Vandal Dome	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0.002Lux@F1.2 (B/W), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (120dB), Simple focus (Motorized V/F), P-Iris, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, UPnP, IP66, IK10, Bi-directional audio support	3 229	759,68
WiseNet III	SNV-6084RP/EX	SNV-6084RP	Vandal Dome	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0Lux@F1.2 (B/W : IR LED on), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus (Motorized V/F), P-Iris, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, UPnP, IR LED (12), IP66, IK10, Bi-directional audio support	3 230	759,92
WiseNet III	SNV-6085RP/EX	SNV-6085RP	Vandal Dome	2MP (1920 x 1080), 0.09Lux@F1.6 (Colour), 0Lux@F1.6 (B/W : IR LED on), 10 ~ 23mm (2.3x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus (Motorized V/F), P-Iris, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, IP66, IK10, Bi-directional audio support	4 730	1 112,90
WiseNet III	SNB-6003P/EX	SNB-6003P	Box	2MP (1920 x 1080) resolution, 0.03Lux@F1.2 (Color), 0.03Lux@F1.2 (B/W), 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), P-Iris, Defog, SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, UPnP, Bi-directional audio support	1 731	407,18
WiseNet III	SNB-6004FP/EX	SNB-6004FP	Box	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0.002Lux@F1.2 (B/W), 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus, P-Iris, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, UPnP, SFP LC type, 1000 Mbps default speed, Bi-directional audio support	4 572	1 075,81
WiseNet III	SNB-6004P/EX	SNB-6004P	Box	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0.002Lux@F1.2 (B/W), 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus, P-Iris, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, UPnP, Bi-directional audio support	2 054	483,39
WiseNet III	SNB-6005P/EX	SNB-6005P	Box	2MP (1920 x 1080), 0.015Lux@F1.2 (Color), 0.0015Lux@F1.2 (B/W), 1/1.9" 2.42MP CMOS, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus, P-Iris, Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, UPnP, Bi-directional audio support	3 712	873,39
WiseNet III	SNB-6010BP/EX	SNB-6010BP	Box	2MP (1920 x 1080), 0.3Lux@F2.5 (Colour), 4.6mm pinhole, 30fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, Extremely discreet design	2 125	500,00
WiseNet III	SNB-6010P/EX	SNB-6010P	Box	2MP (1920 x 1080), 0.5Lux@F2.5 (Colour), 4.6mm pinhole, 30fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, PoE, Extremely discreet design	2 128	500,81
WiseNet III	SNB-6011BP/EX	SNB-6011BP	Box	2MP (1920 x 1080), 0.3Lux@F2.5 (Colour), 2.4mm pinhole, 30fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, Extremely discreet design	2 125	500,00
WiseNet III	SNO-6011RP/EX	SNO-6011RP	Bullet	2MP (1920 x 1080), 0.3Lux@F2.5 (Colour), 2.4mm pinhole, 30fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Defog, micro SD/SDHC/SDXC memory slot, Multi-crop streaming, Extremely discreet design	1 431	336,74
WiseNet III	SNO-6084RP/EX	SNO-6084RP	Bullet	2MP (1920 x 1080), 0.03Lux@F1.2 (Colour), 0Lux@F1.2 (B/W : IR LED on), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, WDR (120dB), Simple focus (Motorized V/F), P-Iris, Defog, micro SD/SDHC/SDXC memory slot (4GB included), Multi-crop streaming, IR LED (20), PoE, UPnP, IP66, IK10, Bi-directional audio support	3 035	714,19
WiseNet III	SNZ-6320P/EX	SNZ-6320P	Motozoom	2MP (1920 x 1080) resolution, 0.3Lux@F1.6 (Colour), 0.03Lux@F1.6 (B/W), 4.42 ~ 142.6mm (32x) optical zoom, 16x digital zoom, 60fps@all resolutions, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (120dB), PoE, SD/SDHC/SDXC memory slot, Bi-directional audio support	4 773	1 122,99
WiseNet III Network IP Cameras 3 MP						

WiseNet III	SND-7084P/EX	SND-7084P	Dome	3MP (2048 x 1536), 0.06Lux@F1.2 (Colour), 0.006Lux@F1.2 (B/W), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 30fps@2,048 x 1,536 / 60fps@1,920 x 1,080, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Simple focus (Motorized VF), P-Iris, Day & Night (ICR), Enhanced DIS, Defog,3MP real-time WDR (120dB), Multi-crop streaming, PoE, micro SD/SDHC/SDXC memory slot, Bi-directional audio support, Built-in mic.	2 900	682,26
WiseNet III	SND-7084RP/EX	SND-7084RP	Dome	3MP (2048 x 1536), 0.06Lux@F1.2 (Colour), 0Lux@F1.2 (B/W), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 30fps@2,048 x 1,536 / 60fps@1,920 x 1,080, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Simple focus (Motorized VF), P-Iris, Day & Night (ICR), Enhanced DIS, Defog,3MP real-time WDR (120dB), Multi-crop streaming, micro SD/SDHC/SDXC memory slot, IR LED (12), PoE, IK8, Bi-directional audio support	3 167	745,16
WiseNet III	SNV-7084P/EX	SNV-7084P	Vandal Dome	3MP (2048 x 1536), 0.06Lux@F1.2 (Colour), 0.006Lux@F1.2 (B/W), 3 mm ~ 8.5mm (2.8x) motorized varifocal lens, 30fps@2,048 x 1,536 / 60fps@1,920 x 1,080, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Simple focus (Motorized VF), P-Iris, Day & Night (ICR), Enhanced DIS, Defog,3MP real-time WDR (120dB), Multi-crop streaming, Heater by PoE, micro SD/SDHC/SDXC memory slot, IP66, IK10, Bi-directional audio support	3 167	745,16
WiseNet III	SNV-7084RP/EX	SNV-7084RP	Vandal Dome	3MP (2048 x 1536), 0.06Lux@F1.2 (Colour), 0Lux@F1.2 (B/W), 3 ~ 8.5mm (2.8x) motorized varifocal lens, 30fps@2,048 x 1,536 / 60fps@1,920 x 1,080, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Simple focus (Motorized VF), P-Iris, Day & Night (ICR), Enhanced DIS, Defog,3MP real-time WDR (120dB), Multi-crop streaming, micro SD/SDHC/SDXC memory slot, IR LED (12), PoE, IP66, IK10, Bi-directional audio support	3 434	808,06
WiseNet III	SNB-7004P/EX	SNB-7004P	Box	3MP (2048 x 1536), 0.06Lux@F1.2 (Colour), 0.006Lux@F1.2 (B/W), 30fps@2,048 x 1,536 / 60fps@1,920 x 1,080, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Simple focus, P-Iris, Day & Night (ICR), Enhanced DIS, Defog,3MP real-time WDR (120dB), micro SD/SDHC/SDXC memory slot, Bi-directional audio support,	2 529	595,16
WiseNet III	SNO-7084RP/EX	SNO-7084RP	Bullet	3MP (2048 x 1536), 0.06Lux@F1.2 (Colour), 0Lux@F1.2 (B/W),3MPm ~ 8.5mm (2.8x) motorized varifocal lens, 30fps@2,048 x 1,536 / 60fps@1,920 x 1,080, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Simple focus (Motorized VF), P-Iris, Day & Night (ICR), Enhanced DIS, Defog,3MP real-time WDR (120dB), micro SD/SDHC/SDXC memory slot (4GB included), Multi-crop streaming, IR LED (20), PoE, IP66, IK10, Bi-directional audio support	3 702	870,97
WiseNet III Network IP Cameras 5MP						
WiseNet III	SNV-8080P/EX	SNV-8080P	Vandal Dome	5MP True Day Night ICR, 20fps&5MPix, 3,6-9,4mm, Simple Focus, BLC ,0.1/0.01 lux, SSNRIII, Multiple streaming, Alarms, Audio, Micro SD storage, 12/24V/PoE, ONVIF, IP66, IK10	5 265	1 238,71
WiseNet III	SNV-8081RP/EX	SNV-8081RP	Vandal Dome	5MP True Day Night ICR, 30fps&5MPix, 3,93-9,4mm, Simple Focus, P-Iris, IR range 30m, WDR 120dB, 0.15lux/0lux (IR LED on) , SSNRIII, Multiple streaming, Alarms, Audio, Micro SD storage, 12/24V/PoE, ONVIF, IP66, IK10, Hallway view	5 587	1 314,52
WiseNet III	SNB-8000P/EX	SNB-8000P	Box	5MP True Day Night, ICR, 20fps&5MPix, Simple Focus, BLC, 0.1/0.01 lux, SSNRIII, Multiple streaming, Privacy masking, Alarms, Audio Bidirectional, Micro SD storage, 12/24V/PoE, ONVIF	4 061	955,65
WiseNet III	SNO-8081RP/EX	SNO-8081RP	Bullet	5MPix, True Day Night ICR, 30fps&5MPix, 3,93-9,4mm, IR range 30m, Simple Focus, P-Iris, WDR 120dB, SSNR III, IVA, audio, Micro SD storage, 12/24V/PoE, ONVIF, IP66, IK10, Hallway view	5 895	1 387,10
WiseNet III	SNF-8010P/EX	SNF-8010	Fisheye	5MP, 360 Degree Fisheye Camera, True Day Night, 1.14mm lens, WDR (60dB), SSSDR, SSNRIII, 20fps, Multiple streaming, Privacy masking, SD Storage, Audio, ONVIF, PoE	2 735	643,55
WiseNet III	SNF-8010VMP/EX	SNF-8010VM	Fisheye	5MP, 360 Degree Fisheye Camera, True Day Night, 1.14mm lens, WDR (60dB), SSSDR, SSNRIII, 20fps, Multiple streaming, Privacy masking, SD Storage, Audio, ONVIF, PoE, IP66, IK10, M12 connector	3 146	740,32
WiseNet III Network IP Cameras 12MP						
WiseNet III	SNB-9000P/EX	SNB-9000	Box	12MP True Day Night, ICR, 20fps&12MP/30fps&8MP, Simple focus, BLC/HLC, SSNRIII, Color:0,28lux,B/W:0,03lux, Intelligent video analysis, audio bidirectional, micro SD/SDHC/SDXC, AC24V/DC12V/PoE	4 764	1 120,97
WiseNet III Network IP PTZ Cameras 1.3MP						
WiseNet III	SNP-5321P/EX	SNP-5321P	PTZ	1.3MP (1280 x 1024) resolution, 0.05Lux@F1.6 (Colour), 0.005Lux@F1.6 (B/W), 4.44 ~ 142.6mm, (32x) optical zoom, 16x digital zoom, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (120dB), PoE+, SD/SDHC/SDXC memory slot, Bi-directional audio support, IK10 (SNP-5321 + SHP-3701H)	6 889	1 620,86
WiseNet III	SNP-5321HP/EX	SNP-5321HP	PTZ	1.3MP (1280 x 1024) resolution, 0.05Lux@F1.6 (Colour), 0.005Lux@F1.6 (B/W), 4.44 ~ 142.6mm, (32x) optical zoom, 16x digital zoom, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (120dB), PoE+, SD/SDHC/SDXC memory slot, Bi-directional audio support, IP66 / IK10	7 991	1 880,33
WiseNet III	SNP-5430P/EX	SNP-5430P	PTZ	1.3MP (1280 x 1024) resolution, 0.3Lux@F1.4 (Colour), 0.006Lux@F1.4 (B/W), 3.5 ~ 150.5mm (43x) optical zoom, 16x digital zoom, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (120dB), Auto tracking, PoE+, SD/SDHC/SDXC memory slot, Bi-directional audio support, IK10 (SNP-5430 + SHP-	10 097	2 375,81
WiseNet III	SNP-5430HP/EX	SNP-5430HP	PTZ	1.3MP (1280 x 1024), 0.3Lux@F1.4 (Colour), 0.006Lux@F1.4 (B/W), 3.5 ~ 150.5mm (43x) optical zoom, 16x digital zoom, H.264, MJPEG dual codec, Multiple streaming, Intelligent video analytics, Day & Night (ICR), WDR (120dB), Auto tracking, PoE+, SD/SDHC/SDXC memory slot, Bi-directional audio support, IP66 / IK10	10 796	2 540,32
WiseNet III Network IP PTZ Cameras 2MP						
WiseNet III	SNP-6230RHP/EX	SNP-6230RHP	PTZ	2MP, 1080p, External PTZ, 4,4-101,2mm (IR corrected lens 23x), IR range 100m, True Day Night, ICR, WDR 120dB, 0,1lux/0lux (IR Led on), SSNR III, IVA, defog, audio, ONVIF, auto tracking, IP66, IK10	10 968	2 580,65
WiseNet III	SNP-6320P/EX	SNP-6320P	PTZ	2MP, 1080p, Internal PTZ, 4,44-142,6mm (32x), 0,03Lux, WDR 120dB, auto tracking, 24v/PoE+	10 632	2 501,61
WiseNet III	SNP-6320HP/EX	SNP-6320HP	PTZ	2MP, 1080p, External PTZ, 4,44-142,6mm (32x), WDR 120dB, auto tracking, IP66, IK10, 24v/PoE+	11 321	2 663,71
WiseNet III	SNP-6320RHP/EX	SNP-6320RHP	PTZ	2MP, 1080p, External PTZ, 4,4-140,8mm (32x), 150m IR, WDR 120dB, 0Lux, IP66, IK10	16 032	3 772,19
WiseNet III	SNP-6321P/EX	SNP-6321P	PTZ	2MP, 1080p, 60fps, Internal PTZ, 4,44-142,6mm (32x), 0,03Lux, WDR 120dB, 24v/PoE+	8 355	1 965,79
WiseNet III	SNP-6321HP/EX	SNP-6321HP	PTZ	2MP, 1080p, 60fps, External PTZ, 4,44-142,6mm (32x), WDR 120dB, IP66, IK10, 24v/PoE+	8 707	2 048,82
WiseNet P Network IP PTZ Cameras 12MP						
WiseNet P	PND-9080RP/EX	PND-9080R	Dome	12MP (4000 x 3000), 0.3Lux@F1.6 (Color), 0Lux (B/W : IR LED on), 4.5 ~ 10mm (2.2x) motorized varifocal lens, Max. 20fps@12M, Max.30fps@8M, H.265, H.264, MJPEG support, Day & Night (ICR), WDR (120dB), Simple focus, P-Iris, Motion detection, Defocus detection, Tampering, SD/SDHC/SDXC memoty slot (Max, 128GB), NAS, Local PC support, Hallway view (Rotate 90° / 270°), WiseStream support, Digital auto tracking, IK08, Bi-directional audio support	4 949	1 164,52
WiseNet P	PNV-9080RP/EX	PNV-9080R	Vandal Dome	12MP (4000 x 3000), 0.3Lux@F1.6 (Color), 0Lux (B/W : IR LED on), 4.5 ~ 10mm (2.2x) motorized varifocal lens, Max. 20fps@12M, Max.30fps@8M, H.265, H.264, MJPEG support, Day & Night (ICR), WDR (120dB), Simple focus, P-Iris, Motion detection, Defocus detection, Tampering, SD/SDHC/SDXC memoty slot (Max, 128GB), NAS, Local PC support, Hallway view (Rotate 90° / 270°), WiseStream support, Digital auto tracking, IP66, IK10, Bi-directional audio support	5 827	1 370,97
WiseNet P	PNO-9080RP/EX	PNO-9080R	Bullet	12MP (4000 x 3000), 0.3Lux@F1.6 (Color), 0Lux (B/W : IR LED on), 4.5 ~ 10mm (2.2x) motorized varifocal lens, Max. 20fps@12M, Max.30fps@8M, H.265, H.264, MJPEG support, Day & Night (ICR), WDR (120dB), Simple focus, P-Iris, Motion detection, Defocus detection, Tampering, SD/SDHC/SDXC memoty slot (Max, 128GB), NAS, Local PC support, Hallway view (Rotate 90° / 270°), WiseStream support, Digital auto tracking, IP66, IK10, Bi-directional audio support	5 964	1 403,23
Network IP PTZ Cameras 4CIF						
Network	VCWF026PEX	SNP-3120P	PTZ	4CIF, 25fps, 3.69 - 44.32mm lens, 25fps, 0.7/0.07 lux, True day night, WDR, DIS, HLC, BLC, SSSDR, SSNRIII, Motion detection, Privacy masking, IVA, Audio, Multiple streaming, SD storage, 24v/PoE+, ONVIF	3 411	802,61
Network	VCWF029PEX	SNP-3120VHP	PTZ	4CIF, 25fps, 3.69 - 44.32mm lens, 25fps, Vandal, 0.7/0.07 lux, True day night, WDR, DIS, HLC, BLC, SSSDR, SSNRIII, Motion detection, Privacy masking, IVA, Audio, Multiple streaming, SD storage, 24v/PoE+, ONVIF, IP66	4 107	966,27
Network Video Recorders						
NVR	SRN-473SP/CU	SRN-473SP	NVR	Linux Based, 4CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 32MPbps, HDMI&VGA outputs, 4PoE/PoE+ ports, max up to 1HDDs	1 568	369,03
NVR	SRN-473SP1T/CU	SRN-473SP1T	NVR	Linux Based, 4CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 32MPbps, HDMI&VGA outputs, 4PoE/PoE+ ports, max up to 1HDDs, 1TB HDD on board	2 108	495,89
NVR	SRN-473SP2T/CU	SRN-473SP2T	NVR	Linux Based, 4CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 32MPbps, HDMI&VGA outputs, 4PoE/PoE+ ports, max up to 1HDDs, 2TB HDD on board	2 304	542,02
NVR	SRN-473SP3T/CU	SRN-473SP3T	NVR	Linux Based, 4CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 32MPbps, HDMI&VGA outputs, 4PoE/PoE+ ports, max up to 1HDDs, 3TB HDD on board	2 549	599,68
NVR	SRN-873SP/CU	SRN-873SP	NVR	Linux Based, 8CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 64Mbps, HDMI&VGA outputs, 8PoE/PoE+ ports, max up to 2HDDs (2x4TB)	2 137	502,81
NVR	SRN-873SP1T/CU	SRN-873SP1T	NVR	Linux Based, 8CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 64Mbps, HDMI&VGA outputs, 8PoE/PoE+ ports, max up to 2HDDs (2x4TB), 1TB HDD on board	2 676	629,66
NVR	SRN-873SP2T/CU	SRN-873SP2T	NVR	Linux Based, 8CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 64Mbps, HDMI&VGA outputs, 8PoE/PoE+ ports, max up to 2HDDs (2x4TB), 2TB HDD on board	2 872	675,79
NVR	SRN-873SP3T/CU	SRN-873SP3T	NVR	Linux Based, 8CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 64Mbps, HDMI&VGA outputs, 8PoE/PoE+ ports, max up to 2HDDs (2x4TB), 3TB HDD on board	3 117	733,45
NVR	SRN-1673SP/CU	SRN-1673SP	NVR	Linux Based, 16CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 80Mbps, HDMI&VGA outputs, 16PoE/PoE+ ports, max up to 4HDDs (4x4TB)	4 186	984,85
NVR	SRN-1673SP1T/CU	SRN-1673SP1T	NVR	Linux Based, 16CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 80Mbps, HDMI&VGA outputs, 16PoE/PoE+ ports, max up to 4HDDs (4x4TB), 1TB HDD on board	4 725	1 111,71
NVR	SRN-1673SP2T/CU	SRN-1673SP2T	NVR	Linux Based, 16CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 80Mbps, HDMI&VGA outputs, 16PoE/PoE+ ports, max up to 4HDDs (4x4TB), 2TB HDD on board	4 921	1 157,84

NVR	SRN-1673SP3T/CU	SRN-1673SP3T	NVR	Linux Based, 16CH, compression H264/JPEG, recording resolution CIF-8Mpix, recording bandwidth: 80Mbps, HDMI&VGA outputs, 16PoE/PoE+ ports, max up to 4HDDs (4x4TB), 3TB HDD on board	5 166	1 215,50
NVR	SRN-1000P1T/CU	SRN-1000 (1TB)	NVR	Linux based, Up to 64CH support, CIF-5MP Resolution, 100Mbps recording rate, 8x Internal HDD's H.264, MPEG-4, MJPEG Compression, 2x Gigabit ports, 64Mbps transmission, 2 eSATA ports, Alarms	8 177	1 924,08
NVR	SRN-2000P1T/CU	XRN-2010P1T	NVR	Linux based, Up to 32CH support, supports camera up to 4K Resolution H264/H265 compression, 256Mbps recording bandwidth, 8x Internal HDD's (Max 48TB), Supports up to 4K monitor output, Alarm Input/Output 8/4 (NO/NC), Remote Camera video setup (Simple focus, Brightness/Contrast, Flip/Mirror, IRIS, WDR, D&N, SSNR, Shutter, SDDR, DIS), Fisheye Dewarping Mode, Hallway View Setup, Camera Webpage, SPC-7000/SPC-2000 controller compatible	8 774	2 064,52
NVR	SRN-2010P1T/CU	XRN-2011P1T	NVR	Linux based, Up to 32CH support, supports camera up to 4K Resolution H264/H265 compression, 256Mbps recording bandwidth (100Mbps RAID-5 Mode), 8 x Internal HOTSWAP HDDs (Max 48TB - Non RAID5 mode or 36TB RAID5 Mode), Supports up to 4K monitor output, Alarm Input/Output 8/4 (NO/NC), Remote Camera video setup (Simple focus, Brightness/Contrast, Flip/Mirror, IRIS, WDR, D&N, SSNR, Shutter, SDDR, DIS), Fisheye Dewarping Mode, Hallway View Setup, Camera Webpage, SPC-7000/SPC-2000 controller compatible	10 831	2 548,39
NVR	SRN-4000P2T/EU	SRN-4000 (2TB)	NVR	Linux based, Up to 64CH support, CIF-5MP Resolution, 400Mbps recording rate, 12x Internal Hot swap HDD's, Redundant Power Supply, H.264, MPEG-4, MJPEG Compression, 2x Gigabit ports, 200Mbps transmission, NAS and iSCSI compatible, Alarms, Local monitor support (VGA / HDMI), 100-240v AC	23 267	5 474,57
NVR	SRM-872P/EU	SRM-872	NVR	Linux based, 8CH, Mobile NVR, CIF-3MP Resolution, 64Mbps recording rate, 1x Internal HDD, VGA & HDMI monitor output, H.264, MJPEG Compression, 2x Gigabit ports, 64Mbps transmission, Alarms, Mobile viewing, 3x USB ports, GPS support, -25°C ~ +50°C, 12 ~ 24V DC	10 133	2 384,27
Network IP Cameras with Video Analytics						
Out of the box	SKK-C04/EU	SND-6084/FPC	Out of the box	SND-6084P with Facit Data - People Counter application	5 408	1 272,58
Out of the box	SKK-C17/EU	SNV-6013/FHM	Out of the box	SNV-6013 with Facit Data - Heat Map application	4 195	987,10
Out of the box	SKK-C13/EU	SNO-6084R/ANP	Out of the box	SNO-6084RHP with Artego Gate application	6 341	1 491,94
Network Switches						
Network	SJD-1104/EU	iES4024GP(24x gigabit Ethernet)	Network Switch	Switch - GigabitEthernet - 24 PoE ports	6 169	1 451,61
Network	SJD-1103/EU	iES4028FP (24 x fast Ethernet)	Network Switch	Switch - FastEthernet - 24 PoE ports	3 907	919,35
Smart Security Manager						
Software	SSM-SM10L/EX	SSM-SM10L	SSM	System Manager Federation support (only Enterprise version). Allows to bind autonomous SSM-based subsystems into one, spread architecture. Up to 4 federation hierarchic levels are supported, 2 methods for federation authorization, quick & easy configuration.	9 288	2 185,48
Software	SSM-TS10L/EX	SSM-TS10L	SSM	Transaction Server – integration of 3rd party Access Control System, Intrusion Detection, etc. Note: integration with new systems (not supported currently by the Transaction Server) must be discussed individually per project. Bear in mind the time for doing this kind of integration (software development work is needed)	23 238	5 467,74
Software	SSM-RS00L/EX	SSM-RS00L	SSM	16 Channel Recording Server module for SSM software, free of charge license, up to 16 cameras recording. Note: only one SSM-RS module is applicable per system for this free of charge license. This limit does NOT apply for 36, 72 and 128 channel versions	FOC	FOC
Software	SSM-RS10L/EX	SSM-RS10L	SSM	36 Channel Recording Server, 400 Mbps recording performance, 16CH simultaneous playback (up to 100Mbps), SATA2 (7200rpm), e-SATA, SAS, iSCSI supported	8 363	1 967,74
Software	SSM-RS20L/EX	SSM-RS20L	SSM	72 Channel Recording Server, 400 Mbps recording performance, 16CH simultaneous playback (up to 100Mbps), SATA2 (7200rpm), e-SATA, SAS, iSCSI supported	13 915	3 274,19
Software	SSM-RS30L/EX	SSM-RS30L	SSM	128 Channel Recording Server, 400 Mbps recording performance, 16CH simultaneous playback (up to 100Mbps), SATA2 (7200rpm), e-SATA, SAS, iSCSI supported	23 238	5 467,74
Software	SSM-VM00L/EX	SSM-VM00L	SSM	Virtual Matrix free of charged license. It supports only SPD-400 decoder (possibility of changing cameras in quad view from SPD-400)	FOC	FOC
Software	SSM-VM10L/EX	SSM-VM10L	SSM	Virtual Matrix - Video Wall Management Software, up to 16 tile monitors. Virtual monitors, event display, etc.	7 438	1 750,00
Software	SSM-VM20L/EX	SSM-VM20L	SSM	Virtual Matrix - Video Wall Management Software, up to 36 tile monitors. Virtual monitors, event display, etc.	13 367	3 145,16
Software	SSM-SC10L/EX	SSM-SC10L	SSM	Screen Capture - Captures the designated monitor screen and creates a video stream from it. The stream is treated by SSM in the same way as a standard stream from the camera	4 648	1 093,55
Software	SSM-VA10LC1/EX	SSM-VA10LC1	SSM	Video Analytics license for 1CH. HeatMap, Counting and Zone analytics scenarios are available	1 858	437,10
Software	SSM-VA10LC2/EX	SSM-VA10LC2	SSM	Video Analytics license for 2CH. HeatMap, Counting and Zone analytics scenarios are available	3 715	874,19
Software	SSM-VA10LC4/EX	SSM-VA10LC4	SSM	Video Analytics license for 4CH. HeatMap, Counting and Zone analytics scenarios are available	6 958	1 637,10
Software	SSM-VA10LC8/EX	SSM-VA10LC8	SSM	Video Analytics license for 8CH. HeatMap, Counting and Zone analytics scenarios are available	13 915	3 274,19
Analog Cameras 1000 TVL						
Beyond	SCD-5020P/EX	SCD-5020P	Dome	1/3" CMOS, 1000 TVL, 0.05lux, 3,6mm, Day/Night (electrical), SSNR IV, Motion detection, Coaxial control compatible (Pelco C), 12V	457	107,58
Beyond	SCD-5080P/EX	SCD-5080P	Dome	1/3" CMOS, 1000 TVL, 0.05lux, 3-10mm, Day/Night (electrical), SSNR IV, Motion detection, Coaxial control compatible (Pelco C), 12/24V	513	120,70
Beyond	SCD-5083P/EX	SCD-5083P	Dome	1/3" CMOS, 1000 TVL, 0.03/0,003lux, 2,8-10,5mm, True Day/Night, ICR, WDR, SSNR IV, IVA, Motion detection, Coaxial control compatible (Pelco C), 12/24V	778	182,96
Beyond	SCD-5083RP/EX	SCD-5083RP	Dome	1/3" CMOS, 1000 TVL, 0.03/0,003lux, 3-10mm, True Day/Night, ICR, IR LED distance 20m, WDR, SSNR IV, IVA, Motion detection, Coaxial control compatible (Pelco C), 12/24V	656	154,35
Beyond	SCV-5083P/EX	SCV-5083P	Vandal Dome	1/3" CMOS, 1000 TVL, 0.03/0,003lux, 2,8-10,5mm, True Day/Night, ICR, WDR, SSNR IV, IVA, Motion detection, Coaxial control compatible (Pelco C), IP66, IK10, 12/24V	1 034	243,30
Beyond	SCV-5083RP/EX	SCV-5083RP	Vandal Dome	1/3" CMOS, 1000 TVL, 0.05/0,001lux, 2,8-10,5mm, IR Led 30m, True Day/Night, ICR, WDR 120dB, SSNR IV, IVA, Motion detection, Coaxial control compatible (Pelco C), IP66, IK10, 12/24V	815	191,77
Beyond	SCV-5085P/EX	SCV-5085P	Vandal Dome	1/3" CMOS, 1000 TVL, 0.03/0,003lux, 3-8,5mm, IR Led 30m, True Day/Night, ICR, WDR 120dB, SSNR IV, IVA, Motion detection, Coaxial control compatible (Pelco C), IP66, IK10, 12/24V	1 322	311,05
Beyond	SCB-5000P/EX	SCB-5000P	Box	1/3" CMOS, 1000TVL, 0,03lux, Day/Night (electrical), SSNR IV, Coaxial control compatible (Pelco C), Motion detection, 12/24V	388	91,21
Beyond	SCB-5000PH/EX	SCB-5000PH	Box	1/3" CMOS, 1000TVL, 0,03lux, Day/Night (electrical), SSNR IV, Coaxial control compatible (Pelco C), Motion detection, 230VAC	447	105,24
Beyond	SCB-5003P/EX	SCB-5003P	Box	1/3" CMOS, 1000TVL, 0,03/0,003lux, True Day/Night, ICR, WDR, SSNR IV, IVA, Coaxial control compatible (Pelco C), Motion detection, RS485 control, 12/24V	646	152,02
Beyond	SCB-5003PH/EX	SCB-5003PH	Box	1/3" CMOS, 1000TVL, 0,03/0,003lux, True Day/Night, ICR, WDR, SSNR IV, IVA, Coaxial control compatible (Pelco C), Motion detection, RS485 control, 230VAC	696	163,71
Beyond	SCB-5005P/EX	SCB-5005P	Box	1/3" CMOS, 1000TVL, 0,03/0,003lux, True Day/Night, ICR, WDR, SSNR IV, IVA, Coaxial control compatible (Pelco C), Motion detection, RS485 control, 12/24V	904	212,82
Beyond	SCO-5083RP/EX	SCO-5083RP	Bullet	1/3" CMOS, 1000TVL, 3-10mm, 0,02lux/0lux, True Day/Night, IR LED On, IR LED distance 50m, WDR 120dB, SDDR, SSNR, IP66, IK10, 12/24V	944	222,18
Digital Video Recorders (Beyond)						
Beyond	SRD-476DP1T/EU	SRD-476 (1TB)	DVR	H.264 Linux based, 4 CH DVR, 100 fps @ 1280 x 576 resolution record rate, 1x HDD, VGA & HDMI Monitor outputs, 2x USB Ports, Alarms	1 930	454,06
Beyond	SRD-876DP1T/EU	SRD-876 (1TB)	DVR	H.264 Linux based, 8 CH DVR, 200 fps @ 1280 x 576 resolution record rate, 4x HDD, VGA & HDMI Monitor outputs, 2x SPOT Composite, 2x USB Ports, Alarms	4 326	1 017,81
Beyond	SRD-1656DP1T/EU	SRD-1656 (1TB)	DVR	H.264 Linux based, 16 CH DVR, 100 fps @ 1280 x 576 resolution record rate, 4x HDD, VGA & HDMI Monitor outputs, 2x SPOT Composite, 2x USB Ports, Alarms,	5 444	1 281,03
Beyond	SRD-1676DP1T/EU	SRD-1676 (1TB)	DVR	H.264 Linux based, 16 CH DVR, 400 fps @ 1280 x 576 resolution record rate, 4x HDD, VGA & HDMI Monitor outputs, 2x SPOT Composite, 16 audio inputs, 2x USB ports, Alarms	7 402	1 741,68
Analog Cameras						
Analog	VCVF086PEX	SCV-2010F	Vandal Dome	1/3" Super HAD CCD II, Compact flat dome, 600TV Line, Motion detection, Samsung Super Noise Reduction (SSNR), Flush mount, BLC, HLC, SDDR, Privacy masking, 12v, IK10, IP66	770	181,06
Analog	VCBF304PEX	SCB-4000P	Box	1/2" Ex-view CCD, 600/700 TV lines, 0.1/0.001 lux sensitivity (colour, sens-up 512x), Coaxial control (CCCV), DNR, XDR, Motion detection, IVA, Privacy masking, Motion detection, 12/24v	1 163	273,63
Analog	SCO-2040RP/EX	SCO-2040RP	Bullet	650TVL, 1/3" CMOS, 0 lux (IR LED On), 25m IR Range, 8mm fixed lens, 12v DC	467	109,92
Analog	VCIF09PEX	SCO-2120RP	Bullet	600/700 TV lines, 0.2/0.0 lux sensitivity (colour/IR on), 12x optical zoom (3.94-46.05mm), Built-in IR LEDs (70m range), IR cut filter, SDDR, SSNR III, BLC, HLC, DIS, Motion detection, Privacy masking, Coaxial control compatible (Pelco C),	1 789	420,97
Analog	SCZ-2273P/EX	SCZ-2273P	Motozoom	1/4" Sony 960H Ex-view HAD CCD II, 680TV lines (ER mode), 0.2/0.01 lux, True day night, BLC, HLC, SDDR, SSNR III, DIS, Motion detection, Privacy masking, Pelco-C Coax control, 12/24v	1 312	308,71
Analog PTZ Cameras						
Analog	VCSC088PEX	SCP-2120P	PTZ	1/4" Super HAD CCD, 12x optical zoom, 600/700TVL, 0.7/0.07 lux, SDDR, SSNR III, DIS, HLC, BLC, True day night, Privacy masking, Motion detection, Alarm, 24v	1 998	470,08
Analog	VCSF091PEX	SCP-3120P	PTZ	1/4" Super HAD CCD, 12x optical zoom, 600/700TVL, 0.7/0.07 lux, WDR, VPS, IVA, SDDR, SSNR III, DIS, HLC, BLC, True day night, Privacy masking, Motion detection, Alarm, 24v	2 356	554,27

Analog	VCSF115PEX	SCP-2370RHP	PTZ	1/4" Super HAD CCD, 37x optical zoom, 600TV lines, SSNRIII, IR LED, 100m IR range, True day night, BLC, HLC, SDDR, SSNRIII, Motion detection, Privacy masking, 24v, IP66, IK10	6 968	1 639,44
Analog	SCP-3430HIP/EX	SCP-3430HP	PTZ	1/4" Ex-View HAD PS CCD, 43x optical zoom, 600/700TV Lines, 0.7/0.07 lux, XDR, VPS, DIS, IVA, WDR, Alarms, True day night, Motion detection, Privacy masking, 24v, IP66	4 214	991,61
Digital Video Recorders (SD,D1)						
Analog	SRD-445P1T/EU	SRD-445 (1TB)	DVR	4 Channel Digital Video Recorder	1 292	304,03
Analog	SRD-443P5G/EU	SRD-443 (500G)	DVR	H.264 Linux based, 4 CH DVR, 25 fps @ 4CIF resolution record rate (704 x 576), 1x HDD, 4Mbps bandwidth, VGA Monitor output, 2x USB Ports, Alarms, Mobile support	800	188,18
Analog	SRD-854DP5G/EU	SRD-854D (500G)	DVR	H.264 Linux based, 8 CH DVR, 50 fps @ 928 x 576 resolution record rate, 4x HDD, 32MPbps bandwidth, DVD Writer, VGA & HDMI Monitor outputs, 2x USB Ports, Alarms, Mobile support	3 627	853,36
Analog	SRD-1654DP1T/EU	SRD-1654D (1TB)	DVR	H.264 Linux based, 16 CH DVR, 100 fps @ 928 x 576 resolution record rate, 4x HDD, 32MPbps bandwidth, DVD Writer, VGA & HDMI Monitor outputs, 2x USB Ports, Alarms, Mobile support	4 771	1 122,58
Analog	SRD-1653DP1T/EU	SRD-1653DP1T/EU	DVR	H.264 Linux based, 960H 16 CH DVR, 100 fps @ 960H record rate (960 x 576), 4x HDD, PTZ Control via coax, 32MPbps bandwidth, DVD Writer, VGA & HDMI Monitor outputs, 2x USB Ports, Alarms, eSATA, Mobile support	4 010	943,53
Analog	SRD-842P1T/EU	SRD-842P (1TB)	DVR	H.264 Linux based, 960H 16 CH DVR, 200 fps @ 960H resolution record rate (960 x 576), 2x HDD, 16Mbps bandwidth, VGA, HDMI, Spot composite monitor outputs, 2x USB Ports, Alarms, Mobile support	1 938	456,05
Analog	SRD-1642P1T/EU	SRD-1642P (1T)	DVR	H.264 Linux based, 960H 16 CH DVR, 400 fps @ 960H resolution record rate (960 x 576), 2x HDD, 32MPbps bandwidth, VGA, HDMI, Spot composite monitor outputs, 2x USB Ports, Alarms, Mobile support	2 644	622,10
Analog	SRD-1673DP1T/EU	SRD-1673DP1T/EU	DVR	H.264 Linux based, 960H 16 CH DVR, 400 fps @ 960H resolution record rate (960 x 576), 4x HDD, PTZ Control via coax, 32MPbps bandwidth, DVD Writer, VGA & HDMI Monitor outputs, 2x USB Ports, Alarms, eSATA, Mobile support	5 554	1 306,83
Network Video Decoders						
Decoders	SPD-400P/EX	SPD-400P	Decoder	4CH Video decoder, 2MP - CIF resolution, 30fps at single view, 120fps at 4 x 4CIF, 60fps at 4 x 720p (When audio is disabled), Audio, VGA & HDMI Outputs, 12v	1 686	396,71
Network Video Encoders						
Encoders	SPE-400P/EX	SPE-400P	Encoder	H.264 Network Video Encoder, 25fps @ 4-CIF resolution per channel, H.264/MPEG-4/MJPEG multiple codec, SD Storage, Audio, Multiple streaming, 12v/PoE, ONVIF	1 568	369,03
Encoders	SPE-100P/EX	SPE-100P	Encoder	H.264 Network Video Encoder, 25fps @ 4-CIF resolution, H.264/MPEG-4/MJPEG multiple codec, SD Storage, Audio, Multiple streaming, 12v/PoE, ONVIF	843	198,35
Encoders	SPE-101P/EX	SPE-101P	Encoder	H.264 Network Video Encoder, 25fps @ 4-CIF resolution, H.264/MPEG-4/MJPEG multiple codec, Multiple streaming, 12v/PoE, ONVIF	549	129,16
Encoders	SPE-1600RP/EX	SPE-1600R	Encoder	16CH Blade extension rack, Houses 4 slots for SPE-400B, 1x RJ45 (1000 Base T)	1 078	253,71
Encoders	SPE-400BP/EX	SPE-400B	Encoder	4CH Blade Encoder, 25fps per channel @ 4CIF (704 x 576), H.264, MPEG-4, MJPEG, Built-in Motion detection, Alarm input, Video loss, Input 4ea / Output 4ea (Relay) 4ea, RS-485 (Half duplex) Samsung - T/E, Pelco - P/DRJ-45,	1 441	339,05
Lenses						
Lenses	SLA-M2890DN/EX	SLA-M2890DN	Lens	1/2.8" 3 MegaPixel Lens, 2,8-9mm, Auto Irys Type: DC	618	145,31
Lenses	SLA-M2890PN/EX	SLA-M2890PN	Lens	1/2.8", 3 MegaPixel Lens, 2,8-9mm, Auto Irys Type: P-Iris	735	172,98
Lenses	SKK-P0001/EU	DV2.2X4.1SR4A-SA2L	Lens	1/1.8", 4K camera lens, f=4,1-9mm, F1,6	754	177,42
Lenses	VLAP01XEX	SLA-3580DN	Lens	1/3", F1.0, CS-mount, 3.5 - 8mm Varifocal lens, Auto Iris DC Drive, (2.3x)	203	47,74
Lenses	SLA-2812DN/EX	SLA-2812DN/EX	Lens	1/3" F1.3, CS-mount, 2.8-12mm Varifocal lens, Auto Iris DC Drive, (4.2x)	203	47,74
Lenses	SLA-550DV/EX	SLA-550DV	Lens	1/3", F1.3, CS-mount, 5-50mm Zoom lens, Auto Iris DC Drive, (10x)	291	68,56
Lenses	VLZP02MEX	SLA-880	Lens	1/2", F1.2, C-mount, 8-80mm Zoom lens, Auto Iris, (10x)	2 365	556,38
CCTV monitors						
Monitors	SMT-1914V/EX	SMT-1914	Monitor	LED monitor 19", Maximum resolution, 1,280 x 1,024, RGB 1 Analogue RGB 15-pin D-sub, 30,000 hours panel life	1 051	247,21
Monitors	SMT-1931/EX	SMT-1931	Monitor	LED monitor 19", resolution 1,366 x 768, 16:9 Aspect Ratio, High contrast ratio 1,000 : 1, Fast response time 5MPs, Video input : HDMI, VGA, BNC	1 110	261,29
Monitors	SMT-1935/EX	SMT-1935	Monitor	LED monitor 19", resolution 1,280 x 1,024, Aspect Ratio 4:3, High contrast ratio 1,000 : 1, Fast response time 5MPs, Video input : HDMI, VGA, BNC	1 302	306,45
Monitors	SMT-2233/EX	SMT-2233	Monitor	LED monitor 22", resolution 1,920 x 1,080, Aspect ratio 16:9, High contrast ratio 1,000 : 1, Fast response time 5MPs, Video input : HDMI, VGA, BNC	2 091	491,94
Monitors	SMT-2731/EX	SMT-2731	Monitor	LED monitor 27", resolution 1,920 x 1,080, Aspect ratio 16:9, Contrast ratio 1,000 : 1, Fast response time 5MPs, Video input : HDMI, VGA, BNC	2 886	679,03
Monitors	SMT-3232A/EX	SMT-3232A	Monitor	Support up to 1,920 x 1,080 resolution, High contrast ratio 5000 : 1, Fast response time 8ms, HDMI, DVI, VGA, and Component (CVBS Common) video input, Ethernet / RS-232C remote control, Magicinfo player S3 : Local / Network contents player, Internal Player (Embedded H/W), Network Connection, Wi-Fi module embedded (Wi-Fi direct, Screen Mirroring)	4 997	1 175,81
Monitors	SMT-4032A/EX	SMT-4032A	Monitor	Support up to 1,920 x 1,080 resolution, High contrast ratio 5000 : 1, Fast response time 8ms, HDMI, DVI, VGA, and Component (CVBS Common) video input, Ethernet / RS-232C remote control, Magicinfo player S3 : Local / Network contents player, Internal Player (Embedded H/W), Network Connection, Wi-Fi module embedded (Wi-Fi direct, Screen Mirroring)	7 554	1 777,42
Monitors	SBM-3240ST/EX	SBM-3240ST	Monitor Accesories	32"/40" Monitor Stand	219	51,45
Keyboards						
Accesories	VTSP003MEX	SPC-1010	Keyboard	Control up to 255 cameras, 16 x 2 character LCD, 3D Joystick, Samsung-T receiver	1 481	348,47
Accesories	VTEF014XEX	SPC-300	Keyboard	Control via coaxial cable, RS-485, Cameras connected: 1 unit	865	203,47
Accesories	VTEP008MEX	SPC-200	Keyboard	Camera zoom in & zoom out OSD controller via RS-485	189	44,44
Accesories	SPC-2010/EX	SPC-2010	Keyboard	Control up to 255 PTZ / Zoom cameras, DVR and Receiver 16 x 2 Character LCD, English 3D Joystick, Samsung-T receiver, Supports Multi-protocol, 12v	2 674	629,11
Accesories	VTSP002MEX	SPC-2000	Keyboard	NET-i viewer support, USB 2.0, 3D joystick	2 336	549,60
Accesories	SPC-6000/EX	SPC-6000	Keyboard	5" TFT touch LCD, Control PTZ dome cameras, DVRs and matrix switches, Centralised control: Up to 255 units with a single controller, Connect to a system up to 16 controllers, Keybad, 3D joystick, Detachable joystick for universal use (right/left hand use)	3 966	933,15
Accesories	SPC-7000/EX	SPC-7000	Keyboard	Keyboard compatible with IP PTZ, SRN, XRN, SSM	4 456	1 048,39
Cameras Accesories						
Accesories	VHCP030XEX	SHB-4200	Camera Accesories	Housing for fixed box cameras, Side opening, Network/Analogue cameras, -10°C ~ +50°C, Ivory, IP66	199	46,77
Accesories	VHCP031XEX	SHB-4200H	Camera Accesories	Housing for fixed box cameras, Side opening, Network/Analogue cameras, Heater & Blower, -35°C ~ +50°C, Ivory, IP66, 24v AC	248	58,47
Accesories	VHCP027XEX	SHB-4300H	Camera Accesories	Housing for fixed box cameras, Side opening, Network/Analogue cameras, Heater & Blower, -35°C ~ +50°C, Ivory, IP66, 24v AC	596	140,32
Accesories	VHCP028XEX	SHB-4300H1	Camera Accesories	Housing for fixed box cameras, Side opening, Network/Analogue cameras, Heater & Blower, -50°C ~ +50°C, Ivory, IP66, 24v AC	646	152,02
Accesories	VHCP029XEX	SHB-4300H2	Camera Accesories	Housing for fixed box cameras, Side opening, Network/Analogue cameras, Heater & Blower, -50°C ~ +50°C, Ivory, IP66, 230v AC	755	177,74
Accesories	SHD-3000F1/EX	SHD-3000F1	Camera Accesories	Applicable Models: SNV-7084R/6084R/5084R/7084/6084/5084, SND-7084R/6084R/5084R/7084/6084/5084/5083	258	60,81
Accesories	SHD-3000F2/EX	SHD-3000F2	Camera Accesories	Applicable Models: SND-L6083R/L5083R, SCD-5082, SUD-5082	288	67,82
Accesories	SHD-3000F3/EX	SHD-3000F3	Camera Accesories	Applicable Models: SNV-L6083R/L5083R, SCV-5082/5083/5083R/5085	288	67,82
Accesories	SHP-3701F/EX	SHP-3701F	Camera Accesories	Applicable Models: SCP-3370 / SCP-2370 / SCP-2330 / SCP-2270 / SCP-2250 / SCP-3371 / SCP-2371 / SCP-2271 / SNP-6200 / SNP-5200 / SNP-5300 / SNP-3371 / SNP-3302, -10°C ~ +50°C	139	32,74
Accesories	SHP-3701H/EX	SHP-3701H	Camera Accesories	Applicable Models SCP-3430H/2430H SCP-3370 / SCP-2370 / SCP-2270 SCP-3250 / SCP-2250/ SNP-5200 / SNP-3120V / SNP-3371 / SNP-3302, -50°C ~ +50°C, 24V AC	408	95,89
Accesories	VTEF016XEX	SPB-VAN1	Camera Accesories	Applicable Models: SCV-2120, SCV-2080R	169	39,76
Accesories	SBP-300B/EX	SBP-300B	Camera Accesories	Wall mount base for SBP-300WM1 and SBP-300WM, Ivory, Aluminium	99	23,39
Accesories	VBCP036XEX	SBP-300CM	Camera Accesories	Applicable Models SCP-3430H/2430H SCP-3370TH / SCP-2370TH SCP-3250H / SCP-2250H SCP-3120VH SNP-5200H / SNP-3120VH SNP-3371TH / SNP-3302H SBP-37	139	32,74
Accesories	VBCP040XEX	SBP-300HM1	Camera Accesories	Applicable Models SCP-3430/2430 SCP-3370 / SCP-2370 / SCP-2270 SCP-3250 / SCP-2250 SCP-3120V / 3120VH SNP-5200 / SNP-3120V SNP-3371 / SNP-3302 SBP-37	119	28,06
Accesories	SBP-300HM5/EX	SBP-300HM5	Camera Accesories	Hanging mount for 5MP Fisheye cameras SNF-8010/8010V/8010VM, can be used with SBP-300CM/300LM/300WM/300WM1	139	32,74
Accesories	SBP-300HM6/EX	SBP-300HM6	Camera Accesories	Applicable models SNV-7084/7084R/6084/6084R/5084/5084R/SCV-6081R, Can be used with SBP-300CM/300LM/300WM/300WM1	139	32,74
Accesories	SBP-300HM7/EX	SBP-300HM7	Camera Accesories	Hanging mount for SNV-6013	139	32,74
Accesories	VBCP038XEX	SBP-300KM	Camera Accesories	Applicable Model: SBP-300WM1 SBP-300WM SBP-300B	139	32,74
Accesories	VBCP035XEX	SBP-300LM	Camera Accesories	Applicable Models SCP-3430H/2430H SCP-3370TH / SCP-2370TH SCP-3250H / SCP-2250H SCP-3120VH SNP-5200H / SNP-3120VH SNP-3371TH / SNP-3302H SBP-37	736	173,06
Accesories	SBP-300NB/EX	SBP-300NB	Camera Accesories	PTZ installation back box, compatible with SBP-300WM/300WM1/300KM/300PM, IP66	994	233,87

Accesories	VBCP037XEX	SBP-300PM	Camera Accesories	Applicable Model SBP-300WM1 SBP-300WM SBP-300B	129	30,40
Accesories	SBP-300TM/EX	SBP-300TM	Camera Accesories	Wall mount for 3MP Fisheye cameras SNF-7010/7010V/7010VM	69	16,13
Accesories	SBP-300TM1/EX	SBP-300TM1	Camera Accesories	Wall mount for 5MP Fisheye cameras SNF-8010/8010V/8010VM	99	23,39
Accesories	VBCP034XEX	SBP-300WM	Camera Accesories	Applicable Models SCP-3430H/2430H SCP-3370TH / SCP-2370TH SCP-3250H / SCP-2250H SCP-3120VH SNP-5200H / SNP-3120VH SNP-3371TH / SNP-3302H SBP-37	129	30,40
Accesories	SBP-300WM0/EX	SBP-300WM0	Camera Accesories	Wall mount for small size indoor dome cameras	159	37,42
Accesories	VBCP039XEX	SBP-300WM1	Camera Accesories	Applicable Models SCP-3430H/2430H SCP-3370TH / SCP-2370TH SCP-3250H / SCP-2250H SCP-3120VH SNP-5200H / SNP-3120VH SNP-3371TH / SNP-3302H SBP-37	139	32,74
Accesories	SBP-301HM2/EX	SBP-301HM2	Camera Accesories	Applicable Model: SCV-2081 / SCV-2081R / SNV-1080 / SNV-1080R / SCD-6080 / SCV-3081	119	28,06
Accesories	SBP-301HM3/EX	SBP-301HM3	Camera Accesories	Applicable Model: SNV-7080 / SNV-7080R / SNV-5080 / SNV-5080R / SNV-3082 / SCV-3080 / SCV-2080 / SCV-2080R / SCV-2120	129	30,40
Accesories	SBP-301HM4/EX	SBP-301HM4	Camera Accesories	Hanging mount for: SCD-5083/5080, SND-6011R, SNF-7010/7010V/7010VM, can be used with: SBP-300CM/300LM/300WM/300WM1	139	32,74
Accesories	SBO-11/EU	SBP-SNO/PM	Camera Accesories	Bullet Camera Pole Mount SCO-5083R, SCO-2081R, SCO-2120R, SCO-2080R, SCO-2080, all SNO cameras	348	81,85
Accesories	SBV-158G/EX	SBV-158G	Camera Accesories	Vandal dome back box, outdoor, aluminium, compatible: SNV-5084/6084/7084/5084R/6084R/7084R	298	70,16
Accesories	SBV-136B/EX	SBV-136B	Camera Accesories	Vandal dome back box, compatibility: SCV-5082, SCV-5082R, SCV-5083, SCV-5083R, SCV-5085, SCV-6023R, SCV-6083R, SNV-L5083R, SNV-L6083R, QNV-7080R, QNV-6070R	192	45,16
Accesories	SBF-100B1/EX	SBF-100B1	Camera Accesories	Back box to fisheye cameras, compatibility: SNF-8010, SNF-8010VM, PNF-9010R (V)(VM)	192	45,16
Accesories	SBO-100B1/EX	SBO-100B1	Camera Accesories	Back Box, compatibility: QNO-7080R/6070R, SCO-6083R, SNO-L6083R, SNO-L5083R, SNO-L8085R, SNO-L6085R, QNO-6010R/6020R/6030R, QNO-7010R/7020R/7030R	192	45,16
Accesories	VBXP17XEX	STB-400	Camera Accesories	Bracket	119	28,06
Accesories	VBCP05XEX	STB-4150V	Camera Accesories	Bracket for box cameras	99	23,39
IR Illuminators						
Accesories	SPI-10A/EX	SPI-10A	IR	IR illuminator can be applied with Samsung positioning system (SPU-2370, SPU-VAC/VAC1 requires SBU-550IM) Viewable length of 100m (328.1 ft) Radiation angle of 10° To provide additional light in dark surroundings Dust/Water proof rated to IP66 Operating temperature of -40°C ~ 50°C	2 266	533,23
Accesories	SPI-30A/EX	SPI-30A	IR	IR illuminator can be applied with Samsung positioning system (SPU-2370, SPU-VAC/VAC1 requires SBU-550IM) Viewable length of 70m (229.66 ft) 32LED array Radiation angle of 30° To provide additional light in dark surroundings Dust/Water proof rated to IP66 Operating temperature of -40°C ~ 50°C	2 246	528,55
PoE Extenders						
Accesories	SPO-100/EX	SPO-100	PoE Extender	PoE extender, simultaneous transmission of power and IP data with cat5 cable, supporting of data transission up to 100Mbps full duplex, transmission data can be extended more than 100m depending on camera model and power source, cameras wih up 11,7W power consumption, built-in surge protection	774	182,21
HDD Disks						
Accesories	SKK-R001/EU	HDD-1TB	Disk	1TB HDD-Upgrade Kit	542	127,42
Accesories	SKK-R002/EU	HDD-2TB	Disk	2TB HDD-Upgrade Kit	747	175,81
Accesories	SKK-R003/EU	HDD-3TB	Disk	3TB HDD-Upgrade Kit	1 021	240,32
Fiber optic cables						
Accesories	SBP-300HF/EX	SBP-300HF	Cables	Fiber optic cable install mount for PTZ domes, compatible with SNP-6320H/5430H	1 803	424,19
Accesories	SBP-301HF/EX	SBP-301HF	Cables	Fiber optic cable install mount for PTZ domes, compatible with SNP-6321H/5321H	1 803	424,19
Matrix Switchers						
Accesories	VTMP01XEX	SMX-25632	Matrix	Matrix switcher for 256 cameras, 32 Monitor output	9 254	2 177,42
Accesories	VTEP01XEX	SMV-25632	Matrix	Video Cards for Matrix	4 113	967,74
Accesories	VTEP02XEX	SME-25632	Matrix	Extension Bay unit for Video Matrix	11 016	2 591,94
Converters						
Accesories	VTEP007MEX	SPU-100TR	Coverter	Twisted pair/coax converter	129	30,40